ISAC Storage Vault Status as of August 28 2013	ISAC Storage	Vault Status	as of August	t 28 2013
------------------------------------------------	---------------------	--------------	--------------	-----------

Trov #		T			vault Status as of Augus			
Tray #	Pail #	Target	Installed (m/d/y)	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
						-		
1A								
						-		
1B	94	SiC #26	05/05/12	118mSv/hr				
1C								
2A								
2B						1		
			05/31/13	24.8mSv/hr				
2C	105	SiC #28				1		
3A	96	SiC #27	07/06/12	178mSv/hr		-		
			09/29/11	111mSv/hr				
3B	90	Ta #36	06/20/13	4.64mSv/hr	Assayed	-		
-								
3C						-		
			10/24/12	35.5mSv/hr				
4A	101	NiO #1	06/20/13	1.50mSv/hr	Assayed	-		
			00.20.10		, locajou			
4B	104	TiC #3	01/15/13	98.7mSv/hr		-		
	104		01/10/10	00.71107/11				
4C	106	Ta #39	07/02/13	95.3mSv/hr		-		
70	100	10 #00	57702/13	00.01100/11				
5A	107	Ta #40	07/29/13	224mSv/hr		-		
JA	107	1a # 1 0	01/11/11	224mSv/m 230mSv/hr				
5B	85	Nb #5	06/20/13	3.05mSv/hr	Assayed	-		
50	00	UND #3	06/20/13	152mSv/hr	Assayeu			
5C	95	Nb #6	00/11/12	15211159/11		-		
All readings are taken at 1m from centre of pail. Sealant (111) is used under lid rim. No contamination found unless other wise noted.								
All lids have the lever lock ring and cable lifting setup. This ring must be locked with a thin piece of metal before shipping.								

Tray #	Pail #	Target	Installed (m/d/y)	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
			11/09/12	178mSv/hr				
6A	103	Nb # 7						
			08/02/12	226 mSv/hr	Bolts might be contaminated			
6B	97	Ta#38						
			07/25/11	411mSv/hr				
6C	88	Ta#35	06/20/13	8.26mSv/hr	Assayed			
7A								
			11/16/11	239mSv/hr				
7B	92	TaC#1	06/20/13	3.55mSv/hr	Assayed			
			08/25/10	292mSv/hr				
7C	81	ZrC#5	06/20/13	2.65mSv/hr	Assayed			
							-	
8A								
8B							-	
OD			08/28/13	23.1mSv/hr				
8C	108	UC _x #6	00/20/13	23.11137/11		-	-	
Tray #		on of Item	Date Installed	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
Πάγπ		ource tray	Date mistalieu	5.6 to 16.4	Tray surveyed on	Date Removed	Reauling(IIISV/HI)	Comments
		TM #2		mSv/hr thru	11/02/12	-		
	nom	1101 // 2		360°	2.07 to 4.39 mSv/hr			
					though 360°			
9			01/15/09					
	Used so	ource tray		1.66 to 3.50	The source tray was			
		TM #1		mSv/hr thru	taken apart for inspection			
				360°	Tray surveyed on	1		
					11/02/12			
					1.83 to 3.23 mSv/hr			
10			05/12/11		though 360°	1		
All readings are taken at 1m from centre of pail. Sealant (111) is used under lid rim. No contamination found unless other wise noted.								
	All lid	s have the	e lever lock r	ring. This rin	g must be locked with a	a thin piece	of metal befo	ore shipping.