ISAC Storage Vault Status as of October 24 2013

					Vault Otatas as of Octobe			
Tray #	Pail #	Target	Installed (m/d/y)	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
1A								
1B	94	SiC #26	05/05/12	118mSv/hr				
1C						•		
2A								
			10/08/13	24.7mSv/hr				
2B	109	SiC #29	10/00/10	21.7111047111				
	100	010 1120	05/31/13	24.8mSv/hr				
2C	105	SiC #28	00/01/10	24.01110 1/111				
20	100	31C #20						
3A	96	SiC #27	07/06/12	178mSv/hr				
34	90	310 #21	09/29/11	111mSv/hr				
3B	90	Ta #36	06/20/13	4.64mSv/hr	Assayad			
36	90	1a #30	06/20/13	4.0411137/111	Assayed			
20								
3C			40/04/40	05.5.0."				
			10/24/12	35.5mSv/hr				
4A	101	NiO #1	06/20/13	1.50mSv/hr	Assayed			
4B	104	TiC #3	01/15/13	98.7mSv/hr				
4C	106	Ta #39	07/02/13	95.3mSv/hr				
5A	107	Ta #40	07/29/13	224mSv/hr				
			01/11/11	230mSv/hr				
5B	85	Nb #5	06/20/13	3.05mSv/hr	Assayed			
			06/11/12	152mSv/hr				
5C	95	Nb #6						

All readings are taken at 1m from centre of pail. Sealant (111) is used under lid rim. No contamination found unless other wise noted.

All lids have the lever lock ring and cable lifting setup. This ring must be locked with a thin piece of metal before shipping.

Tray #	Pail #	Target	Installed (m/d/y)	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
			11/09/12	178mSv/hr				
6A	103	Nb # 7						
			08/02/12	226 mSv/hr	Bolts might be contaminated			
6B	97	Ta#38						
			07/25/11	411mSv/hr				
6C	88	Ta#35	06/20/13	8.26mSv/hr	Assayed			
7A								
			11/16/11	239mSv/hr				
7B	92	TaC#1	06/20/13	3.55mSv/hr	Assayed			
			08/25/10	292mSv/hr				
7C	81	ZrC#5	06/20/13	2.65mSv/hr	Assayed			
8A								
			10/24/13	22.6 mSv/hr				
8B	110	UCx #7						
		110 40	08/28/13	23.1mSv/hr				
8C	108	UC _x #6						
Tray #		ion of Item	Date Installed	Reading (mSv/Hr)	Comments	Date Removed	Reading(mSv/Hr)	Comments
	Used source tray			5.6 to 16.4	Tray surveyed on			
	from TM #2			mSv/hr thru	11/02/12			
				360°	2.07 to 4.39 mSv/hr			
					though 360°			
9			01/15/09					
	Used source tray			1.66 to 3.50	The source tray was			
	from TM #1			mSv/hr thru	taken apart for inspection			
				360°	Tray surveyed on			
					11/02/12			
					1.83 to 3.23 mSv/hr			
10			05/12/11		though 360°			

All readings are taken at 1m from centre of pail. Sealant (111) is used under lid rim. No contamination found unless other wise noted.

All lids have the lever lock ring. This ring must be locked with a thin piece of metal before shipping.