ISAC Storage Vault Status as of March 13 2015

				ich ie Gierug	c vadit Otatas	ao or maror	. 10 2010	
			Initial	Second	Third			
Tray #	Pail #	Target	Reading (mSv/Hr)	Reading (mSv/Hr)	Reading (mSv/Hr)	Status	Comments	Removed (m/d/y)
1A								
Date(m/d/y)								
1B	94	SiC #26	118mSv/hr	4.32mSv/hr	3.65mSv/hr	Assayed		
Date(m/d/y)			05/05/12	05/16/14	09/15/14			
1C								
Date(m/d/y)								
2A	RH B/L	2A3 Window	8mSv/hr	0.81mSv/hr		Assayed	Unmodified lid, no sealant	
Date(m/d/y)			04/30/14	05/14/14				
2B	122	ThO#1	6.20mSv/hr					
Date(m/d/y)			03/13/15					
2C	117	SiC #30	211mSv/hr	34.1mSv/hr				
Date(m/d/y)			08/06/14	09/15/14				
3A	96	SiC #27	178mSv/hr	3.66mSv/hr	2.70mSv/hr	Assayed		
Date(m/d/y)			07/06/12	05/15/14	09/15/14			
3B	90	Ta #36	111mSv/hr	3.26mSv/hr	2.61mSv/hr	Assayed		
Date(m/d/y)			09/29/11	05/15/14	09/15/14			
3C								
Date(m/d/y)								
4A	121	Ta #44	276mSv/hr					
Date(m/d/y)			11/21/14					
4B								
Date(m/d/y)								
4C	106	Ta #39	95.3mSv/hr	6.06mSv/hr	4.57mSv/hr	Assayed		
Date(m/d/y)			07/02/13	05/21/14	09/12/14			
5A	107	Ta #40	224mSv/hr	15.6mSv/hr		Measured		
Date(m/d/y)			07/29/13	05/16/14				
5B	115	TiC #4	407mSv/hr					
Date(m/d/y)			06/27/14					
5C	120	ZrC #6	112mSv/hr					
Date(m/d/y)			10/21/14					
		Initial readings	are taken at 1m fro	m centre of nail As	saved readings are	taken at 1m from	side of pail. Sealant (111) is used under lid rim	

Initial readings are taken at 1m from centre of pail. Assayed readings are taken at 1m from side of pail. Sealant (111) is used under lid rim.

All lids have the lever lock ring and cable lifting setup, ring is locked with a thin piece of metal before shipping. All pails are checked for contamination

			Initial	Second	Third							
Tray #	Pail #	Target	Reading (mSv/Hr)	Reading (mSv/Hr)	Reading (mSv/Hr)	Status	Comments	Removed (m/d/y)				
6A												
Date(m/d/y)												
6B												
Date(m/d/y)			08/02/12	05/21/14	09/12/14							
6C	88	Ta #35	411mSv/hr	8.26mSv/hr	4.69mSv/hr	Assayed	Measured again on 09/12/14 and no					
Date(m/d/y)			07/25/11	06/20/13	05/21/14		change in the field it is still 4.7mSv/hr					
7A	112	Ta #41	536mSv/hr	37.6mSv/hr		Measured	Pail is unnumbered					
Date(m/d/y)			12/09/13	05/16/14								
7B	114	Ta #42	277mSv/hr				Metal grabby tab is on lid					
Date(m/d/y)			05/30/14									
7C	118	Ta #43	150mSv/hr									
Date(m/d/y)			09/05/14									
8A												
Date(m/d/y)												
8B	119	UC _x #10	28.9mSv/hr									
Date(m/d/y)			09/26/14									
8C	116	UC _x #9	7.93mSv/hr									
Date(m/d/y)			07/21/14									
			Initial	Second	Third							
Tray #	Description of Item		Reading (mSv/Hr)	Reading (mSv/Hr)	Reading (mSv/Hr)	Status	Comments	Removed (m/d/y)				
9	Used source tray		5.6-16.4mSv/hr	2.07-4.39mSv/hr								
	from TM #2		though 360°	though 360°		Measured						
Date(m/d/y)			01/15/09	11/02/12								
10	Used source tray		1.66-3.50mSv/hr	1.83-3.23 mSv/hr			The source tray was taken apart for					
	from TM #1		though 360°	though 360°		Measured	inspection					
Date(m/d/y)			05/12/11	11/02/12								
	Initial readings are taken at 1m from centre of pail. Assayed readings are taken at 1m from side of pail. Sealant (111) is used under lid rim.											

All lids have the lever lock ring and cable lifting setup, ring is locked with a thin piece of metal before shipping. All pails are checked for contamination